

# Customer contribution for Dual & Multiple Occupancy Developments (effective from 1 September 2016)



## Multiple Dwellings – New Connections Only

Connections to a new or existing multiple dwelling development sites are (where applicable) charged a customer contribution for dual and multiple occupancy developments in accordance with AER (Australian Energy Regulator) Guideline 14.

Expressed in a simple form, a customer contribution = incremental DUOS revenue less the incremental connection cost. The table below indicates the customer contribution applicable for various combinations of pits and dwellings.

Additional cable for multiple dwellings (after 50 metres) will be charged at \$46.84 (ex GST) per metre.

Table 1 Number Dwellings	Customer contribution for 1 'pole to pit' underground services		Customer contribution for 2 'pole to pit' underground services		Customer contribution for 3 'pole to pit' underground services	
	Exc GST	Incl GST	Exc GST	Incl GST	Exc GST	Incl GST
	2	\$2,810	\$3,091	\$6,670	\$7,337	N/A
3	\$1,770	\$1,947	\$5,630	\$6,193	\$9,490	\$10,439
4	\$720	\$792	\$4,580	\$5,038	\$8,440	\$9,284
5	\$0	\$0	\$3,540	\$3,894	\$7,400	\$8,140
6	\$0	\$0	\$2,490	\$2,739	\$6,350	\$6,985
7	N/A	N/A	\$1,450	\$1,595	\$5,310	\$5,841
8	N/A	N/A	\$400	\$440	\$4,260	\$4,686
9	N/A	N/A	\$0	\$0	\$3,220	\$3,542
10	N/A	N/A	\$0	\$0	\$2,170	\$2,387
11	N/A	N/A	\$0	\$0	\$1,130	\$1,243
12	N/A	N/A	N/A	N/A	\$80	\$88

Developments containing 6 dwellings or more are required to be referred to the Operations CIC Team for a technical assessment.

The above model must only be used for combinations of dwellings to pits listed. Any other combinations should be referred to Financial Advisory, Finance for correct calculation.